

## MATT FINISH



800x1600MM



800x1600MM

## GVT / PGVT

VITRIFIED TILES



600x1200MM



The power of

# SLAB

LARGE | LUXURIOUS | LAVISH




HYGIENIC  
SURFACE



FROST  
RESISTANT



CHEMICAL  
RESISTANT



DIMENSIONAL  
STABILITY



STAIN  
RESISTANT



WATER  
RESISTANT





UV & HEAT  
RESISTANT





SCRATCH & ABRASION  
RESISTANT

**ALGARIO ALMOND**



**600x1200 MATT**

**ALGARIO BEIGE**




**600x1200 MATT**

**ALGARIO CREMA**




**600x1200 MATT**

**ALGARIO GRAY**



**600x1200 MATT**

AMEZONE BEIGE



600x1200 MATT


**AMEZONE BIANCO**



**600x1200 MATT**



AMEZONE BLUE



600x1200 MATT

**AMEZONE CHOCO**



**600x1200 MATT**

**AMEZONE COTTO**



**600x1200 MATT**

**AMEZONE GRAY**



**600x1200 MATT**

**AMEZONE NERO**




**600x1200 MATT**

**BARGE BROWN**



**600x1200 MATT**

**BARGE CREMA**



**600x1200 MATT**


**BARGE NATURAL**



**600x1200 MATT**



**BRAZILIA ALMOND**



**600x1200 MATT**

**BRAZILIA BROWN**




**600x1200 MATT**

**BRAZILIA CREMA**




**600x1200 MATT**

**BRAZILIA GRAY**



**600x1200 MATT**

**BRAZILIA LIGHT GRAY**



**600x1200 MATT**

**BRAZILIA GRIS**



**600x1200 MATT**

**CEMENTI IVORY**



**600x1200 MATT**

**CEMENTI BEIGE**



**600x1200 MATT**



**CEMENTI GREY**





**600x1200 MATT**

**CEMENTO BEIGE**





**600x1200 MATT**

**CEMENTO BIANCO**




**600x1200 MATT**

**CEMENTO COTTO**




**600x1200 MATT**

**CEMENTO GRIS**




**600x1200 MATT**

**CEMENTO NATURAL**




**600x1200 MATT**

**CLONIC BEIGE**



**600x1200 MATT**


**CLONIC BIANCO**



**600x1200 MATT**



**CLONIC GREY**




**600x1200 MATT**

**CLONIC NERO**



**600x1200 MATT**

**CLOTHY BIANCO**






**600x1200 MATT**

**CLOTHY CHOCCO**




**600x1200 MATT**

**CLOTHY NATURAL**




**600x1200 MATT**

**CLOTHY YELLOW**




**600x1200 MATT**

**CONCEPT BEIGE**



**600x1200 MATT**


**CONCEPT BIANCO**



**600x1200 MATT**



**CONCEPT BROWN**




**600x1200 MATT**

**CONCEPT GREY**





**600x1200 MATT**

**DESERT SAND CREMA**




**600x1200 MATT**

**DESERT SAND GRAY**





**600x1200 MATT**

**FABRIC BROWN**



**600x1200 MATT**

**FABRIC GREY**




**600x1200 MATT**

**FANTASY BROWN**



**600x1200 MATT**

FANTASY CREMA



600x1200 MATT



**GEM BEIGE**



**600x1200 MATT**

**GEM BROWN**



**600x1200 MATT**

**HARD ROCK GRAY**




**600x1200 MATT**

**IRIS CREMA**




**600x1200 MATT**

**LEMONY BEIGE**



**600x1200 MATT**

**LEMONY COTTO**




**600x1200 MATT**

**LEMONY CREMA**



**600x1200 MATT**

**LEMONY GREY**



**600x1200 MATT**




**LEMONY NERO**



**600x1200 MATT**

**LEMONY WHITE**



**600x1200 MATT**

LINNER CEMENT



600x1200 MATT

## Technical Specification

CHARACTERISTIC	TEST METHOD	INTERNATIONAL STD DIN 18500-EN 176 GROUP IIIa	OUR VALUE
<b>DIMENSION &amp; SURFACE QUALITY</b>			
Deviation In Length	ISO-10545-2	±0.6%	±0.2%
Deviation In Thickness	ISO-10545-2	±5%	±3%
Straightness of Sides	ISO-10545-2	±0.5%	±0.2%
Rectangularity	ISO-10545-2	±0.6%	±0.2%
Surface Flatness	ISO-10545-2	±0.5%	±0.2%
<b>PHYSICAL &amp; THERMAL PROPERTIES</b>			
Water Absorption	ISO-10545-3	<0.05%	<0.04%
Mohs Hardness	EN-101	Min.5	Min.5
Flexural Strength	ISO-10545-4	>35 N/mm <sup>2</sup>	>40N/mm <sup>2</sup>
Skid Resistance (Friction Coefficient)	ISO-10545-17	>0.4	>0.4
Breaking Strength	ISO-10545-11	>1113 N	>1800N
Frost Resistance	ISO-10545-12	Frost Proof	Frost Proof
Thermal Shock Resistance	ISO-10545-9	No Damage	No Damage
Moisture Expansion	ISO-10545-10	NIL	NIL
Resistance to Surface Abrasion	ISO-10545-7	Abrasion class shall be specified by the manufacturer	PEI IV & V
<b>CHEMICAL PROPERTIES</b>			
Chemical Resistance	ISO-10545-13	No Damage	No Damage
Color Resistance	ISO-10545-16	No Damage	No Damage
Stain Resistance	ISO-10545-14	Resistant	Resistant

