

GLOSSY FINISH



800x1600MM

GVT / PGVT

VITRIFIED TILES



600x1200MM



800x1600MM



📍 2nd Floor, Krish Business Plaza,
Dr Rajendra Prasad Road,
Rajkot - 360001, Gujarat, INDIA

☎ +91 98797 21972

✉ impex@paradisegroup.in

🌐 www.paradisegold.in

The power of

SLAB

LARGE | LUXURIOUS | LAVISH




HYGIENIC
SURFACE



FROST
RESISTANT



CHEMICAL
RESISTANT



DIMENSIONAL
STABILITY



STAIN
RESISTANT



WATER
RESISTANT



UV & HEAT
RESISTANT




SCRATCH & ABRASION
RESISTANT

184-ANTISKY



600X1200 GLOSSY

6003 -SINGLE PHASE




600X1200 GLOSSY

6021



600X1200 GLOSSY

6366



600X1200 GLOSSY

AARCOT GRAY




600X1200 GLOSSY

ACRONE SILVER



600X1200 GLOSSY

AGATHA STATUARIO



600X1200 GLOSSY

ALBASTO NATURAL



600X1200 GLOSSY

ANGEL GRIS



600X1200 GLOSSY

ANY SKY



600X1200 GLOSSY

AQUAFINA NATURAL



600X1200 GLOSSY

AQUAFINA SKY




600X1200 GLOSSY

ARABIA VERDE





600X1200 GLOSSY

ARMANI BEIGE



600X1200 GLOSSY

ARMANI BROWN



600X1200 GLOSSY

ARMANI GREY



600X1200 GLOSSY

ARMANI GRIS



600X1200 GLOSSY

ASTONIA BROWN



600X1200 GLOSSY

ASTONIA GRIS



600X1200 GLOSSY

ATLANTIC BIANCO



600X1200 GLOSSY

ATLANTIC BROWN



600X1200 GLOSSY

ATOM BEIGE



600X1200 GLOSSY

ATOM BROWN



600X1200 GLOSSY

ATOM GRAY



600X1200 GLOSSY

BIANCO CARARRA



600X1200 GLOSSY

BLANCHE CHOCO




600X1200 GLOSSY

BLANCHE LIGHT GREY



600X1200 GLOSSY

BOLONIYA IVORY



600X1200 GLOSSY

BOTOCHINO LIME



600X1200 GLOSSY

BOTOCHINO ORANGE



600X1200 GLOSSY

BOTOCHINO



600X1200 GLOSSY

BRECCIA BEIGE



600X1200 GLOSSY

BRECCIA BROWN



600X1200 GLOSSY

BRECCIA FANTA



600X1200 GLOSSY

BRECCIA GRAY



600X1200 GLOSSY

BRECCIA NATURAL



600X1200 GLOSSY

BRESSIA GOLD



600X1200 GLOSSY

BRITTON DARK




600X1200 GLOSSY

BRUNO NATURAL



600X1200 GLOSSY

BRUNO CHOCO



600X1200 GLOSSY

CALACATTA STATUARIO



600X1200 GLOSSY

CEPPO CREMA



600X1200 GLOSSY

CEPPO NERO



600X1200 GLOSSY

CHORUS BROWN





600X1200 GLOSSY

CHORUS GREY





600X1200 GLOSSY

CLOUDY BEIGE



600X1200 GLOSSY

CLOUDY WHITE



600X1200 GLOSSY

COLA GREY



600X1200 GLOSSY

COLUMBUS ALMOND



600X1200 GLOSSY

COLUMBUS BIANCO



600X1200 GLOSSY

COLUMBUS BLUE



600X1200 GLOSSY

COLUMBUS CREMA



600X1200 GLOSSY

CONOR BROWN



600X1200 GLOSSY

COSTA BEIGE



600X1200 GLOSSY

COSTA BIANCO



600X1200 GLOSSY

COVEY BROWN



600X1200 GLOSSY

COVEY LIGHT





600X1200 GLOSSY

COVEY NERO




600X1200 GLOSSY

CREMA MARFIL



600X1200 GLOSSY

CRESTA BEIGE



600X1200 GLOSSY

CYBERIAN BEIGE



600X1200 GLOSSY

DESERT BEIGE



600X1200 GLOSSY

DINOVA GRIS



600X1200 GLOSSY

DYNA BEIGE



600X1200 GLOSSY

DYNA BLUE



600X1200 GLOSSY

DYNA CREMA



600X1200 GLOSSY

DYNA CRESTA



600X1200 GLOSSY

DYNA FANTA



600X1200 GLOSSY

DYNA REAL



600X1200 GLOSSY

E 12132



600X1200 GLOSSY

EARTH BROWN




600X1200 GLOSSY

EARTH GREY







600X1200 GLOSSY

EARTH NERO




600X1200 GLOSSY

ELEMENT BLACK



600X1200 GLOSSY

ELEMENT GRAY





600X1200 GLOSSY

ELEMENT YELLOW



600X1200 GLOSSY

ELICA STATUARIO



600X1200 GLOSSY

EMILLY BEIGE



600X1200 GLOSSY

EMILLY CHOCO



600X1200 GLOSSY

EMILLY ROSE



600X1200 GLOSSY

EMPERADOR BEIGE



600X1200 GLOSSY

EMPERADOR BROWN



600X1200 GLOSSY

EMPIRE CARARA



600X1200 GLOSSY

Technical Specification

CHARACTERISTIC	TEST METHOD	INTERNATIONAL STD DIN 18500/EN 176 GROUP IIIa	OUR VALUE
DIMENSION & SURFACE QUALITY			
Deviation in Length	ISO-10545-2	±0.6%	±0.2%
Deviation in Thickness	ISO-10545-2	±5%	±3%
Straightness of Sides	ISO-10545-2	±0.5%	±0.2%
Rectangularity	ISO-10545-2	±0.6%	±0.2%
Surface Flatness	ISO-10545-2	±0.5%	±0.2%
PHYSICAL & THERMAL PROPERTIES			
Water Absorption	ISO-10545-3	<0.05%	<0.04%
Mohs Hardness	EN-101	Min.5	Min.5
Flexural Strength	ISO-10545-4	>35 N/mm ²	>40N/mm ²
SKD Resistance (Friction Coefficient)	ISO-10545-17	>0.4	>0.4
Breaking Strength	ISO-10545-11	>1113 N	>1800N
Frost Resistance	ISO-10545-12	Frost Proof	Frost Proof
Thermal Shock Resistance	ISO-10545-9	No Damage	No Damage
Moisture Expansion	ISO-10545-10	NIL	NIL
Resistance to Surface Abrasion	ISO-10545-7	Abrasion class shall be specified by the manufacturer	PEI IV & V
CHEMICAL PROPERTIES			
Chemical Resistance	ISO-10545-13	No Damage	No Damage
Color Resistance	ISO-10545-16	No Damage	No Damage
Stain Resistance	ISO-10545-14	Resistant	Resistant

