

GLOSSY FINISH




800x1600MM

GVT / PGVT

VITRIFIED TILES



600x1200MM



800x1600MM



📍 2nd Floor, Krish Business Plaza,
Dr Rajendra Prasad Road,
Rajkot - 360001, Gujarat, INDIA

☎ +91 98797 21972

✉ impex@paradisegroup.in

🌐 www.paradisegold.in

The power of

SLAB

LARGE | LUXURIOUS | LAVISH




HYGIENIC
SURFACE



FROST
RESISTANT



CHEMICAL
RESISTANT



DIMENSIONAL
STABILITY



STAIN
RESISTANT



WATER
RESISTANT



UV & HEAT
RESISTANT



SCRATCH & ABRASION
RESISTANT

EMPORIO ARMANI BROWN



600X1200 GLOSSY

EMPORIO ARMANI GRAY



600X1200 GLOSSY

EMPRADOR MILKY BEIGE



600X1200 GLOSSY

EMPRESS GREY



600X1200 GLOSSY

ERAWOOD BEIGE



600X1200 GLOSSY

ERAWOOD BROWN



600X1200 GLOSSY

ERAWOOD GREY



600X1200 GLOSSY

ERAWOOD GRIS



600X1200 GLOSSY

ERAWOOD NERO



600X1200 GLOSSY

ERAWOOD NUT



600X1200 GLOSSY

ERAWOOD PINE



600X1200 GLOSSY

ERAWOOD WANGE




600X1200 GLOSSY

ESTILO BROWN



600X1200 GLOSSY

ESTILO NATURAL



600X1200 GLOSSY

ESTRON STATUARIO



600X1200 GLOSSY

ETHIMO BROWN



600X1200 GLOSSY

ETHIMO CREMA



600X1200 GLOSSY

EVITA VERDE



600X1200 GLOSSY

FOSSILE CREMA



600X1200 GLOSSY

FOSSILE GOLD




600X1200 GLOSSY

FOSSILE IVORY



600X1200 GLOSSY

FOSSILE WHITE



600X1200 GLOSSY

FRITTA BEIGE



600X1200 GLOSSY

FSTB7P009



600X1200 GLOSSY

GALAXY WHITE



600X1200 GLOSSY

GRAVEL DARK



600X1200 GLOSSY

HEXA STATUARIO



600X1200 GLOSSY

HIMALAYA WHITE



600X1200 GLOSSY

HUDSON NATURAL



600X1200 GLOSSY

IBERICO GREY



600X1200 GLOSSY

IMPERIAL STATUARIO





600X1200 GLOSSY

INFINITY BEIGE



600X1200 GLOSSY

IRON MARFIL BIANCO



600X1200 GLOSSY

IRON MARFIL CREMA



600X1200 GLOSSY

JUPITER BROWN



600X1200 GLOSSY

JUPITER CREMA




600X1200 GLOSSY

KODA GREY



600X1200 GLOSSY

LEMZONE CREMA



600X1200 GLOSSY

LIBERTY DARK



600X1200 GLOSSY

LIMESTON CHOCO



600X1200 GLOSSY

LIMESTON GRAY



600X1200 GLOSSY

LINNER BEIGE



600X1200 GLOSSY

LIZA NATURAL



600X1200 GLOSSY

LIZA YELLOW



600X1200 GLOSSY

LOSSETO VERDE



600X1200 GLOSSY

MAPLE WHITE



600X1200 GLOSSY

MARBELLA WHITE



600X1200 GLOSSY

MARBICE ONYX CREMA



600X1200 GLOSSY

MARINA BEIGE



600X1200 GLOSSY

MARINA CLOUDY



600X1200 GLOSSY

MARMO BEIGE



600X1200 GLOSSY

MARMO BROWN



600X1200 GLOSSY

MARNI DYNA





600X1200 GLOSSY

MATRIX QUARTZ BEIGE



600X1200 GLOSSY

MATRIX QUARTZ BLUE



600X1200 GLOSSY

MATRIX QUARTZ BROWN



600X1200 GLOSSY

MATRIX QUARTZ IVORY



600X1200 GLOSSY

MATRIX QUARTZ NERO




600X1200 GLOSSY

MATRIX QUARTZ WHITE



600X1200 GLOSSY

MEGMA MARFIL IVORY



600X1200 GLOSSY

MERCURY WHITE



600X1200 GLOSSY

MERCURY WHITE



600X1200 GLOSSY

MESTO BRONZE



600X1200 GLOSSY

MESTO NATURAL



600X1200 GLOSSY

MESTO VERDE



600X1200 GLOSSY

MIST BIANCO



600X1200 GLOSSY

MIST BROWN



600X1200 GLOSSY

MIST CREMA



600X1200 GLOSSY

MOON BEIGE




600X1200 GLOSSY

MOON ONYX




600X1200 GLOSSY

NANO MARFIL BEIGE



600X1200 GLOSSY

NATURAL MARFIL



600X1200 GLOSSY

NATURAL WHITE



600X1200 GLOSSY

OSCAR BEIGE



600X1200 GLOSSY

OSCAR BIANCO



600X1200 GLOSSY

OSCAR NATURAL



600X1200 GLOSSY

OSTUNI BEIGE



600X1200 GLOSSY

OSTUNI NATURAL



600X1200 GLOSSY

OXFORD BEIGE GLOSSY



600X1200 GLOSSY

OXFORD BROWN GLOSSY



600X1200 GLOSSY

OXFORD FANTA GLOSSY



600X1200 GLOSSY

OXFORD GREY GLOSSY



600X1200 GLOSSY

Technical Specification

CHARACTERISTIC	TEST METHOD	INTERNATIONAL STD DIN 18500/EN 176 GROUP IIIa	OUR VALUE
DIMENSION & SURFACE QUALITY			
Deviation in Length	ISO-10545-2	±0.6%	±0.2%
Deviation in Thickness	ISO-10545-2	±5%	±3%
Straightness of Sides	ISO-10545-2	±0.5%	±0.2%
Rectangularity	ISO-10545-2	±0.6%	±0.2%
Surface Flatness	ISO-10545-2	±0.5%	±0.2%
PHYSICAL & THERMAL PROPERTIES			
Water Absorption	ISO-10545-3	<0.05%	<0.04%
Mohs Hardness	EN-101	Min.5	Min.5
Flexural Strength	ISO-10545-4	>35 N/mm ²	>40N/mm ²
SKD Resistance (Friction Coefficient)	ISO-10545-17	>0.4	>0.4
Breaking Strength	ISO-10545-11	>1113 N	>1800N
Frost Resistance	ISO-10545-12	Frost Proof	Frost Proof
Thermal Shock Resistance	ISO-10545-9	No Damage	No Damage
Moisture Expansion	ISO-10545-10	NIL	NIL
Resistance to Surface Abrasion	ISO-10545-7	Abrasion class shall be specified by the manufacturer	PEI IV & V
CHEMICAL PROPERTIES			
Chemical Resistance	ISO-10545-13	No Damage	No Damage
Color Resistance	ISO-10545-16	No Damage	No Damage
Stain Resistance	ISO-10545-14	Resistant	Resistant

