

GLOSSY FINISH



800x1600MM



800x1600MM

GVT / PGVT

VITRIFIED TILES



600x1200MM



The power of

SLAB

LARGE | LUXURIOUS | LAVISH




HYGIENIC
SURFACE



FROST
RESISTANT



CHEMICAL
RESISTANT



DIMENSIONAL
STABILITY



STAIN
RESISTANT



WATER
RESISTANT



UV & HEAT
RESISTANT



SCRATCH & ABRASION
RESISTANT

OXFORD GRIGEO GLOSSY



600X1200 GLOSSY

OXFORD NATURAL GLOSSY



600X1200 GLOSSY

OXFORD WENGE GLOSSY



600X1200 GLOSSY

PERL SATHVARIO



600X1200 GLOSSY

PERLA BEIGE



600X1200 GLOSSY

PERLATINO SICILIA



600X1200 GLOSSY

PESCO COFFEE



600X1200 GLOSSY

PICASO OLIVE



600X1200 GLOSSY

PICASO ROSSO



600X1200 GLOSSY

PICASO VERDE



600X1200 GLOSSY

POKEMON BROWN



600X1200 GLOSSY

POKEMON CREMA



600X1200 GLOSSY

PULPIS BEIGE



600X1200 GLOSSY

PULPIS GRIS



600X1200 GLOSSY

RAINBOW BROWN



600X1200 GLOSSY

REAL TRAVERTINO BEIGE



600X1200 GLOSSY

REBECCA BROWN



600X1200 GLOSSY

REBECCA NATURAL



600X1200 GLOSSY

REGAL ONYX WHITE



600X1200 GLOSSY

ROMAN SATVARIO



600X1200 GLOSSY

ROSALIA NATURAL



600X1200 GLOSSY

ROSETO BROWN



600X1200 GLOSSY

ROYAL DYNA




600X1200 GLOSSY

ROYAL MARFIL ALMOND




600X1200 GLOSSY

ROYAL MARFIL BEIGE



600X1200 GLOSSY

ROYAL MARFIL CREMA



600X1200 GLOSSY

ROYAL MARFIL GRAY






600X1200 GLOSSY

ROYAL SATVARIO




600X1200 GLOSSY

RUBY BEIGE




600X1200 GLOSSY

RUBY BIANCO





600X1200 GLOSSY

RUBY BLACK




600X1200 GLOSSY

RUBY BLUE



600X1200 GLOSSY

RUBY BROWN



600X1200 GLOSSY

RUBY CHOCO



600X1200 GLOSSY

RUBY GREY



600X1200 GLOSSY

SANDROCK BROWN






600X1200 GLOSSY

SANDROCK GREY




600X1200 GLOSSY

SANDROCK NERO




600X1200 GLOSSY

SATVARIO GRAY



600X1200 GLOSSY

SCIENTIFICO BIANCO



600X1200 GLOSSY

SCIENTIFIC GRIS



600X1200 GLOSSY

SIANA NATURAL



600X1200 GLOSSY

SIANA ORANGE



600X1200 GLOSSY

SICILIA



600X1200 GLOSSY

SICILIA RED



600X1200 GLOSSY

SMOK WHITE




600X1200 GLOSSY

SONIC NATURAL





600X1200 GLOSSY

SPIDER BLANCO



600X1200 GLOSSY

SPIDER WHITE



600X1200 GLOSSY

STATUARIO CARRARA




600X1200 GLOSSY

STATUARIO SNOW



600X1200 GLOSSY

STATUARIO VERSILIA




600X1200 GLOSSY

STATURIO LIGHT VEINUS




600X1200 GLOSSY

TAJ GRAY



600X1200 GLOSSY

TETRAMAX BEIGE



600X1200 GLOSSY

TETRAMAX BROWN



600X1200 GLOSSY

TETRAMAX MOKA



600X1200 GLOSSY

TETRAMAX SILVER



600X1200 GLOSSY

TRAVERTINO BEIGE



600X1200 GLOSSY

TRAVERTINO PRISMA



600X1200 GLOSSY

TRAVO BEIGE



600X1200 GLOSSY

VALENCIA CAFE



600X1200 GLOSSY

VALENCIA GREY



600X1200 GLOSSY

VALENCIA MOKA



600X1200 GLOSSY

VALENCIA NATURAL



600X1200 GLOSSY

VELO BEIGE



600X1200 GLOSSY

VELO IVORY





600X1200 GLOSSY

VELO NATURAL



600X1200 GLOSSY

VELVET BLUE







600X1200 GLOSSY

VELVET BROWN



600X1200 GLOSSY

VELVET GREY




600X1200 GLOSSY

VENTO NATURAL






600X1200 GLOSSY

VENUS STATUARIO



600X1200 GLOSSY

VENUS WHITE



600X1200 GLOSSY

VESTRO BROWN



600X1200 GLOSSY

VINTAGE NATURAL




600X1200 GLOSSY

WONDER BEIGE




600X1200 GLOSSY

WONDER BIANCO




600X1200 GLOSSY

WONDER BLUE





600X1200 GLOSSY

WONDER BROWN




600X1200 GLOSSY

WONDER NATURAL



600X1200 GLOSSY

WONDER SNOW



600X1200 GLOSSY

Technical Specification

CHARACTERISTIC	TEST METHOD	INTERNATIONAL STD DIN 18500/EN 176 GROUP IIIa	OUR VALUE
DIMENSION & SURFACE QUALITY			
Deviation in Length	ISO-10545-2	±0.6%	±0.2%
Deviation in Thickness	ISO-10545-2	±5%	±3%
Straightness of Sides	ISO-10545-2	±0.5%	±0.2%
Rectangularity	ISO-10545-2	±0.6%	±0.2%
Surface Flatness	ISO-10545-2	±0.5%	±0.2%
PHYSICAL & THERMAL PROPERTIES			
Water Absorption	ISO-10545-3	<0.05%	<0.04%
Mohs Hardness	EN-101	Min.5	Min.5
Flexural Strength	ISO-10545-4	>35 N/mm ²	>40N/mm ²
SKD Resistance (Friction Coefficient)	ISO-10545-17	>0.4	>0.4
Breaking Strength	ISO-10545-11	>1113 N	>1800N
Frost Resistance	ISO-10545-12	Frost Proof	Frost Proof
Thermal Shock Resistance	ISO-10545-9	No Damage	No Damage
Moisture Expansion	ISO-10545-10	NIL	NIL
Resistance to Surface Abrasion	ISO-10545-7	Abrasion class shall be specified by the manufacturer	PEI IV & V
CHEMICAL PROPERTIES			
Chemical Resistance	ISO-10545-13	No Damage	No Damage
Color Resistance	ISO-10545-16	No Damage	No Damage
Stain Resistance	ISO-10545-14	Resistant	Resistant

