



600x1200MM, 1200x1200MM, 800x1600 MM

📍 2nd Floor, Krish Business Plaza,
Dr Rajendra Prasad Road,
Rajkot - 360001, Gujarat, INDIA

☎ +91 98797 21972

✉ impex@paradisegroup.in

🌐 www.paradisegold.in

The power of

SLAB

LARGE | LUXURIOUS | LAVISH




HYGIENIC
SURFACE



FROST
RESISTANT



CHEMICAL
RESISTANT



DIMENSIONAL
STABILITY



STAIN
RESISTANT



WATER
RESISTANT



UV & HEAT
RESISTANT



SCRATCH & ABRASION
RESISTANT



BOOK MATCH



LIO 103 A



LIO 103 B



600x1200 GLOSSY

BOOK MATCH



LIO 105 A



LIO 105 B



600x1200 GLOSSY

BOOK MATCH



LIO 107 A



LIO 107 B



600x1200 GLOSSY



BOOK MATCH



LIO 108 A



LIO 108 B



600x1200 GLOSSY



BOOK MATCH



LIO 109 A



LIO 109 B



600x1200 GLOSSY



BOOK MATCH



LIO 110 A



LIO 110 B



600x1200 GLOSSY


BOOK MATCH



LIO 111 A



LIO 111 B



600x1200 GLOSSY



BOOK MATCH



LIO 112 A



LIO 112 B



600x1200 GLOSSY



BOOK MATCH



LIO 113 A




LIO 113 B




600x1200 GLOSSY

BOOK MATCH



LIO 115 A




LIO 115 B




600x1200 GLOSSY


BOOK MATCH



LIO 116_A



LIO 116_B



600x1200 GLOSSY

BOOK MATCH



LIO 117 A



LIO 117 B



600x1200 GLOSSY

BOOK MATCH



LIO 118 A



LIO 118 B



600x1200 GLOSSY

BOOK MATCH



PRESTIGE COPPER A



PRESTIGE COPPER B



600x1200 GLOSSY

Technical Specification

CHARACTERISTIC	TEST METHOD	INTERNATIONAL STD ISO 13800-EN 175 GROUP 8a	OUR VALUE
DIMENSION & SURFACE QUALITY			
Deviation in Length	ISO-10545-2	±0.6%	±0.2%
Deviation in Thickness	ISO-10545-2	±5%	±3%
Straightness of Sides	ISO-10545-2	±0.5%	±0.2%
Rectangularity	ISO-10545-2	±0.6%	±0.2%
Surface Flatness	ISO-10545-2	±0.5%	±0.2%
PHYSICAL & THERMAL PROPERTIES			
Water Absorption	ISO-10545-3	<0.05%	<0.04%
Mohs Hardness	EN-101	Min.5	Min.5
Flexural Strength	ISO-10545-4	>35 N/mm ²	>40N/mm ²
Skid Resistance (Friction Coefficient)	ISO-10545-17	>0.4	>0.4
Breaking Strength	ISO-10545-11	>1113 N	>1800N
Frost Resistance	ISO-10545-12	Frost Proof	Frost Proof
Thermal Shock Resistance	ISO-10545-9	No Damage	No Damage
Moisture Expansion	ISO-10545-10	NIL	NIL
Resistance to Surface Abrasion	ISO-10545-7	Abrasion class shall be specified by the manufacturer	PEI IV & V
CHEMICAL PROPERTIES			
Chemical Resistance	ISO-10545-13	No Damage	No Damage
Color Resistance	ISO-10545-16	No Damage	No Damage
Stain Resistance	ISO-10545-14	Resistant	Resistant





CORPORATE OFFICE

2nd FLOOR-KRISH BUSINESS PLANET,
DR. RAJENDRA PRASAD MARG,
RAJKOT-360001, GUJARAT, INDIA

Email: impex@paradisegroup.in

Phone.: +91 90993 65932

Website: www.paradisegold.in
